Professional Floor Systems Product sheet

HTC 420 VS

- HTC 420 VS - The multi functional machine





HTC 420 is the machine for those who need a small, durable machine with a large capacity.

Flooring contractors set high demands on effective, flexible machines and HTC 420 lives up to the expectations. The machine handles everything from floor preparation and grinding to fine polishing and does an excellent job. In addition, HTC 420 can remove tough coatings like adhesive, screed and paint.

- · A light and handy all-round machine for concrete, natural stone, terrazzo and wood
- Frequency-controlled
- · Ergonomically designed
- The machine can be used for coarse grinding, preparation, maintenance and polishing
- · Collapsible for easier transport
- Adapted for the EZchange[™] system

HTC

Professional Floor Systems

Product sheet



Outstanding quality

HTC's high quality means that HTC as the only company in the industry can offer a 2 year warranty on the complete machine range. Download data sheet



Flexible Grinding Cover

Together with the dust extractor it prevents dust to spread in the premises. Since HTC's grinding covers are flexible you can grind much closer to corners and edges.



EZchange™

The HTC developed tool change system is quick, simple and safe. One tooling system for all HTC's grinding machines. Read more

HTC Professional Floor Systems Product sheet

Name	HTC 420 VS	HTC 420 VS	HTC 420 VS
Article Number	112131	112210	112132
Length	805 mm	805 mm	31.7 inch
Width	480 mm	480 mm	18.9 inch
Height	781 mm	781 mm	30.7 inch
Weight	94 kg	94 kg	176 lbs
Motor output	2,2 kW	2,2 kW	3 HP
Power consumption	16 Amp	16 Amp	20 Amps
Voltage	1 x 230 V	3 x 400 V	1 x 115 V
Frequency	50 Hz	50 Hz	50/60 Hz
Grinding pressure	65 kg	65 kg	143 lbs
Revolution speed	300 - 1350 r.p.m	300 - 1350 r.p.m	400 - 1100 r.p.m
Grinding discs	3 x 180 mm	3 x 180 mm	3 x 7.1 inch
Grinding width	420 mm	420 mm	16.5 inch
Grinding motors	1	1	1
Water tank	6 L	6 L	2.11 gallons
Recommended Dust Extraction Systems	HTC GL 25 D HTC GL 35 D HTC GL 40 D	HTC GL 25 D HTC GL 35 D HTC GL 40 D	HTC GL 25 D HTC GL 35 D HTC GL 40 D

